ROAD AND BRIDGE PROJECTS

INITIAL ENVIRONMENTAL EXAMINATION (IEE) CHECKLIST

for

UPGRADING OF CUCO – BAGONG SILANG FARM TO MARKET ROAD Project Name or Title

✓	Projects	Project Size Parameter	Corresponding Project Size/Threshold
✓	Bridges and viaducts, new construction	length	≥ 80 m but < 10.0 km
	Roads, new construction, widening (including RO-RO facilities)	length with no critical slope, OR length with critical slope	≥ 2 km but < 20.0 km, OR ≥ 2 km but < 10.0 km
	Elevated roads, flyover/cloverleaf/ interchanges		Regardless of length and width
	Tunnels and sub-grade roads and railways	length	< 1.0 km
	Pedestrian passages		All underpass projects

For ECC applications, this IEE Checklist Report shall be submitted with:

- Proof of Compatibility with the existing Land Use Plan
- Proof of Authority over the Project Site
- Accountability Statements of Proponent (see attached form) and the Preparer (if any, following Annexes 2-22 of Revised Procedural Manual for DAO 2003-30)
- Photographs or plates/vicinity map of the project site showing impact areas and affected areas and communities
- Duly Accomplished Project Environmental Monitoring & Audit Prioritization Scheme (PEMAPS) Questionnaire (see Annex 2-7d of Revised Procedural Manual for DAO 2003-30)

(No other documents shall be required as pre-requisite to ECC applications per DENR MC 2010-14)

Read the questions carefully and write the required information on the blank spaces provided or otherwise check (\checkmark) the appropriate boxes \Box or parenthesis (). Boxes with check marks(\boxdot) are automatically required. Use additional sheets if necessary and indicate this in the appropriate space.

Project proponents are strongly **discouraged** to engage the services of consultants/facilitators/preparers to accomplish/fill-up the IEE Checklist Report Form. The Report Forms have been designed to be user-friendly.

Furthermore, EMB Regional Office is required to complete the processing of an ECC application using the IEE Checklist Report within twenty (20) working days upon receipt for duly-accomplished forms with complete attachments

Misleading or erroneous answers are basis for legal actions and/or denial of ECC issuance.

PROJECT FACT SHEET

Project Name:	Upgrading of Cuco – Bagong Silang Farm to Market Road
Project Location:	Pasacao, Camarines Sur
Road Width :	4 meter
Road/Bridge Length :	8.02 kms
Project Proponent:	Provincial Government of Camarines Sur
Office Address:	Cadlan. Pili, Camarines Sur
Contact Person:	Felipe Vargas
Designation:	PPMIU Coordinator
Contact Information	
Telephone Number:	
Fax Number:	
Mobile Number:	
E-mail Address:	

I. PROJECT DESCRIPTION

1.1 PROJECT LOCATION AND AREA: Street Name, Barangay, and Municipality/City, Province

See attached vicinity map/s and photographs of the project site including alignment and design. (*Attached detailed engineering design*)

Geographic coordinates of the project area (Preferably use WGS 84 datum, otherwise specify datum used).

Perimeter/Boundary points (based on OCT/TCT/etc)	Longitude	Latitude

1.2 PROJECT COMPONENTS

Facilities	Length / Area (meters)	Specification/Description/Remarks
1. Road	8,020	6,328m x 4m PCCP, 127m x 4m reblocking and Improvement of1,565m x 6.2m road shouldering
2. Intersections		
3. Bridge/s		
4. Access roads/Ramp		
5. Drainage facilities (i.e. Reinforced Concrete Box Culverts (RCBC);Reinforced Concrete Pipe Culverts (RCPC), others)	4 - 1line 1 – 3lines	By 7m x 0.910m dia. RCPC By 17m x 0.910m dia. RCPC
6. Associated facilities (i.e. Guardrails, Traffic signs, etc.)	6 units	Road warning signs (triangular)
7. Solid waste management facility		
8. Others, please specify		

(Use additional sheets if needed)

1.3 UTILITIES/REQUIREMENTS (Construction Phase):

Utilities	Source	Estimated Demand/Consumption
Power/Electricity (Total)	Casureco 1	20 KWh
Power/Electricity (From Renewable Energy Sources)		ƘWh
Water (Total) (Fill-up table below if water is not obtained from the local water utility)		m ³ /day
Water (Rainwater Collection System)		m ³ /day

Water Source [] ground water	[] well	[] spring	[] others:	
[√] Surface water	[] river	[] lake	[] others: <u>Creeks along the stretch</u>	
Location of water source: <u>Cuco/Bagong Silang Sipocot, Camarines Sur</u> (Sitio/Zone, Barangay, Municipality/City, Province, Region)				

Energy/Water Efficiency

Utilities	Estimated Savings	Proposed Efficiency/Conservation Measures
Power/Electricity	5 KWh	Limit use of air-conditioning unit and halogen lights during night time
Water	m ³ /day	

1.4 MANPOWER

a. Construction Phase

Manpower Requirement	Expertise/Skills	Total
Skilled	Foreman/Carpenter/Mason/Equipment and Mechanical Operators	77
Unskilled	Laborers/Survey Aide/ Equipment Operator Helpers	149

1.5 INDICATIVE PROJECT COST

Project Cost (PhP): <u>52,153,221</u>

II. ENVIRONMENTAL IMPACTS AND MANAGEMENT PLAN

Possible Environmental/ Social Impacts	Baseline Environment	Preventive/ Mitigating Measures	Monitoring Parameters/ Implementation	Cost of Mitigation/ Monitoring
LAND				
Consistency with land use	Current land use w/in 1km radius (as per zoning ordinance): Residential Commercial/ Institutional Industrial Agricultural/ Recreational Protected Areas Others Actual land uses w/in 1km radius: Residential Commercial/ Institutional	See attached proof of compatibility with land use		
	 Industrial Agricultural/ Recreational Protected Areas Others 			
Disturbance to wildlife due to vegetation clearing	 Existing vegetation in the area: Forestland Marshland Grassland Mangrove Wetland Others, specify 	 Compliance with conditions of DENR/LGU SLUP, Tree Cutting Permit, ROW, PCA Permit Limit land clearing as much as possible Provide temporary fencing to vegetation that will be retained Promote restoration of damaged or destroyed vegetation where possible (e.g., road side tree planting); 	Annual inspection of area replanted/ revegetated	Cost integrated in the construction /operation cost

Possible Environmental/ Social Impacts	Baseline Environment	Preventive/ Mitigating Measures	Monitoring Parameters/ Implementation	Cost of Mitigation/ Monitoring
 Change in surface landform/ topography/ terrain/slope Soil Erosion 	Slope: flat (0-3%) gently sloping to rolling (3-18%) steep (>18%)	 Provide erosion control and slope protection measures Designate a Spoils Storage Area, with topsoil set aside for later use and allow maximum re-use of spoils Construction during dry season Stabilization of embankment with grasses 	 Regular inspection of slope protection measures in erosion-prone areas Regular inspection for new eroded areas near the site Others (Pls. specify): 	 Slope/ Erosion Control Cost: Others, specify
	Is the project site located in an area identified by MGB/PAGASA/PHIVOLCS as hazard prone? Yes No	 Compliance with the DENR Administrative Order No. 2003-30 and DENR Administrative Order No. 2000-28, Implementing Guidelines on Engineering Geological and Geo-hazard Assessment (EGGA). 		
Soil/Land contamination due to improper solid waste disposal	Existing soil type in the area: sandy clay sandy-loam Others, specify	 Implementation of the Ecological Solid Waste Management Plan (ESWMP); Set-up temporary fence around the construction area Implement re-use and recycling of waste materials Implement proper segregation, collection and disposal of domestic wastes in designated areas Implement proper collection, labeling and storage of hazardous waste Provide receptacles / bins for solid wastes Coordinate with the municipal / city waste collectors Engage third party company for waste collection 	 Daily inspection of waste/recycling bins for segregation Daily inspection for presence of mixed garbage in the facility Weekly inspection of waste accumulated Others, specify 	Cost integrated in the construction /operation cost

Possible Environmental/ Social Impacts	Baseline Environment	Preventive/ Mitigating Measures	Monitoring Parameters/ Implementation	Cost of Mitigation/ Monitoring
		Others, specify:		
Encroachment into protected areas or ecologically-sensitive areas	Is the project area near protected areas or ecologically-sensitive areas? Yes No	 Obtain appropriate permits/clearances from concerned agencies Provide adequate buffer Others, specify: 	Regular coordination with concerned agencies	Cost integrated in the construction/ operation cost
 Impairment of visual aesthetics Devaluation of land values 	Presence of visually significant landforms/landscape/structures?	 Implement landscaping and other beautification measures Provide adequate buffer Compensate adjacent property owners Others, specify: 	 Regular inspection of landscaping and other beautification activities Regular monitoring of buffer zones Regularly monitor presence/absence of complaints from adjacent property owners 	Cost integrated in the construction/ operation cost
WATER		I	I	
Increased siltation due to project activities	Specify nearest/receiving water body:	Set-up proper and adequate sanitary facilities	Regular (ocular) inspection of:	Cost integrated in the construction/ operation cost
 □ Water quality degradation □ Others, specify 	Distance to nearest/receiving water body: 0 to less than 0.5 km 0.5 to 1 km More than 1 km If nearest/receiving water body is fresh water, specify classification: AA	 Strictly require the contractor and its workers to observe proper waste disposal and proper sanitation Strictly observe proper waste handling and disposal Set up silt trap(Gabions, Fascines)/settling ponds to minimize downstream siltation Others (Pls. specify): 	 Sanitation facilities Regular (ocular) inspection of water body for: Turbidity and/or silted condition Floating wastes or debris 	

Possible Environmental/ Social Impacts	Baseline Environment	Preventive/ Mitigating Measures	Monitoring Parameters/ Implementation	Cost of Mitigation/ Monitoring
	If nearest/receiving water body is coastal or marine water, specify classification:			
	□ SB			
	Current Water Use: Fishery Tourist Zone / Park Recreational Industrial Agricultural			
	Distance of project area to the nearest well used: 0 to less than 0.5 km 0.5 to 1 km			
	│ └┘ More than 1 km			
	Use of the nearest well:			
	Drinking/Domestic			
	Industrial			
	Agricultural			

Possible Environmental/ Social Impacts	Baseline Environment	Preventive/ Mitigating Measures	Monitoring Parameters/ Implementation	Cost of Mitigation/ Monitoring
 Competition in water use Depletion of water resources 	Size of population using receiving surface water: □ ≤ 1,000 persons □ >1,000 and ≤ 5,000persons □ >5,000person Available/nearest water source. □ Deepwell □ Water district/LGU □ Surface water □ Others, specify	 □ Implement rainwater harvesting and similar measures as an alternative source of water ☑ Observe water conservation measures □ Others, specify 	 Regularly monitor for presence/absence of complaints Regular coordination with concerned agencies Regularly monitor for occurrences of water shortages Others, specify 	Cost integrated in the construction/ operation cost
Increased occurrence of flooding	Is the project site located in an area identified by MGB/PAGASA as flood prone?	 Use appropriate design for project facilities Implement appropriate drainage system Regularly remove debris and other materials that may obstruct water flow Others, specify: 	 Regularly monitor for presence/absence of complaints Regular coordination with concerned agencies Regularly monitor for increased frequency of flooding Others, specify 	Cost integrated in the construction/ operation cost

Possible Environmental/ Social Impacts	Baseline Environment	Preventive/ Mitigating Measures	Monitoring Parameters/ Implementation	Cost of Mitigation/ Monitoring
AIR / NOISE				
☐ Air quality degradation	 Distance to nearest community: 0 to less than 0.5 km 0.5 to 1 km More than 1 km 	 Properly operate and maintain all emission sources (e.g. vehicles, generator, etc) Install when applicable, the appropriate air pollution control device/s Strictly enforce good housekeeping practices Control vehicle speed to lessen suspension of road dust Conduct water spraying to suppress dust sources and minimize discomfort to nearby residents Use covered vehicles to deliver materials that may generate dust Other, specify 	 Regularly monitor for presence/absence of complaints Regular (ocular) inspection of: Absence of white or black smoke from vehicles, heavy equipment, generator, etc. Presence of truck cover during deliveries 	Cost integrated in the construction/ operation cost
Nuisance due to noise generation	 Distance to nearest community: 0 to less than 0.5 km 0.5 to 1 km More than 1 km 	 Properly operate and maintain all noise sources (e.g. vehicles, generator, etc) Install when applicable, the appropriate noise control device/s (e.g., mufflers, silencer, sound barriers, etc.) Implement appropriate operating hours Provide adequate buffer and/or planting of trees Others, specify 	 Regularly monitor for presence/absence of complaints Regular monitoring of buffer zones 	Cost integrated in the construction/ operation cost
PEOPLE				
 Displacement of residents in the project site and within its vicinity Displacement of 	Size of population of host barangay: $\Box \leq 1,000 \text{ persons}$ $\Box > 1,000 \text{ and } \leq 5,000 \text{ persons}$ $\Box > 5,000 \text{ person}$	 Provide relocation/disturbance compensation packages Prioritize local residents for employment Promptly pay local taxes and other financial obligations 	 Regularly monitor for presence/absence of complaints Regular coordination with LGU 	Cost integrated in the construction/ operation cost

Possible Environmental/	Baseline Environment	Preventive/ Mitigating Measures	Monitoring Parameters/	Cost of Mitigation/ Monitoring
Social Impacts Indigenous People Enhanced employment and/or livelihood opportunities Reduced employment and/or livelihood opportunities Increased revenues for LGU Disruption/Competition in delivery of public services (e.g., education, peace and order, etc.) Enhanced delivery of public services (e.g., education, peace and order, etc.) Increase in traffic volume and worsening of traffic flow	Classification of host barangay: Urban Rural Available services within/near the host barangay: Schools (e.g. elementary, high school, college) Health facilities (e.g., clinics, hospitals, etc.) Peace and order (e.g., police outpost, brgy. Tanod, etc.) Recreation and sports facilities Others, specify:	 Regular coordination with LGU Prior consultation & coordination to minimize disruption on daily domestic activities & respect for IP rights and cultural practices Ensure participation of IPs in consultations and dialogues Provide appropriate traffic/warning signs, lighting, etc Others: specify 	Others, specify	
 Impacts on community health and safety Others, specify 		 Regular coordination with LGU Provide appropriate warning signs, lighting and barricades, whenever practicable Observe proper housekeeping Provide on-site medical services for any emergency. Participate in public awareness programs on health and safety Implement appropriate safety programs for both community and workers Others, specify 	 Regularly monitor for presence/absence of complaints Regular coordination with LGU Regularly monitor submission of reports to concerned agency Others, specify 	✓ Cost integrated in the construction/ operation cost

III. INSTITUTIONAL PLAN FOR EMP IMPLEMENTATION



Attach design/plan/alignment of project (with dimensions and descriptions)

SWORN STATEMENT OF ACCOUNTABILITY OF THE PROPONENT

This is to certify that all the information and commitments in this Initial Environmental Examination (IEE) Checklist Report_are accurate and complete to the best of my knowledge.

By the authority vested in me by the <u>PROVINCIAL GOVERNMENT OF</u> <u>CAMARINES SUR</u> as <u>GOVERNOR</u>. I hereby commit to ensure implementation of all commitments, mitigating measures and monitoring requirements indicated in this IEE Checklist Report as well as the following:

- Conform with pertinent provisions of applicable environmental laws e.g., R.A. No. 6969 (*Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990*), R.A. No. 9003 (*Ecological Solid Waste Management Act of 2000*), R.A. No. 9275 (*Philippine Clean Water Act of 2004*), and R.A. No. 8749 (*Philippine Clean Air Act of 1999*).
- Abide and conform with LGU development plans and guidelines.
- Promptly pay local taxes and other financial obligations.
- Regularly submit reports to concerned agencies.

I hereby bind myself to answer any penalty that may be imposed arising from any misrepresentation or failure to state material information in this IEE Checklist.

MIGUEL LUIS R. VILLAFUERTE

Governor Provincial Government of Camarines Sur

SUBSCRIBED AND SWORN TO before me this _____ day of _____ 201__, affiant exhibiting his/her Community Tax Certificate No. _____ issued at _____ on _____.

Doc. No.	
Page No.	
Book No.	
Series of	